



D-U-N-S. No.:
91-538-3033

VANJAX

ISO 9001:2000 COMPANY



Estd. 1981

INDUSTRIAL HYDRAULICS - TOOLS - EQUIPMENT - DEVICES - MACHINES



e-Mail : info@vanjax.com
vanjax@vsnl.com
gmsales@vanjax.com
website : www.vanjax.in

Vanjax Factory Unit-2 (VXC-2)
S.No.230/11, Mevalur Kuppam
Sriperumbudur
Chennai - 602 105. India

Vanjax Unit-1 (VXC-1)
343, Sidco Industrial Estate
Ambattur
Chennai - 600 098. India

VANJAX SALES PVT. LTD.,
an ISO 9001:2000 COMPANY
Phone: 044-4282 1000, 2625 5300
Fax: 0091-44-4598 5700

HYDRAULIC POWER IN ACTION ★ YOU NEED IT, VANJAX MAKES IT.



D-U-N-S. No.:
91-538-3033

VANJAX SALES PVT. LTD.,
an ISO 9001:2000 COMPANY



Estd. 1981

VANJAX HYDRAULIC BOTTLE JACK



TYPE CODE	CAPACITY (TON)	CLOSED HEIGHT (mm)	HYD. LIFT (mm)	MECH. EXTN. (mm)	NETT WT/KGS.
VXBJ 90204	2	180	115	48	3
VXBJ 90504	5	216	127	70	5
VXBJ 91004	10	230	150	80	7
VXBJ 91204	12	230	155	80	8
VXBJ 91504	15	230	150	80	9
VXBJ 92004	20	244	145	60	12
VXBJ 93001	30	285	180	-	23
VXBJ 95001	50	300	180	-	34
VXBJ 910001	100	330	185	-	67

VANJAX HYD. TROLLEY JACK



TYPE CODE	CAP. (TON)	MIN. HEIGHT (mm)	MAX. HEIGHT (mm)	OVERALL L x W x H PACKAGE DIMENSION (mm)	NETT WT/KGS.
VXTJ 82004	2	130	350	510 x 230 x 150	11
VXTJ 83003	3	130	410	660 x 275 x 195	19
VXTJ 8056	5	150	560	1600 x 430 x 320	95
VXTJ 8106	10	160	560	1700 x 520 x 340	145
VXTJ 820004	20	220	680	1430 x 560 x 280	215

VANJAX AIR HYDRAULIC JACK



TYPE CODE	CAPACITY (TON)	CLOSED HEIGHT (mm)	HYD. LIFT (mm)	MECH. EXTN. (mm)	NETT WT/KGS.
VXAHJ QYQ22	22	229	115	105	53
OVERALL L x W - 560 x 176 mm					

VANJAX HYD. FLOOR CRANE



TYPE CODE	CAP. (KGS)	LIFTING RANGE (mm) MIN./MAX.	LIFTING CAP. (mm) MIN./MAX.	OVERALL DIMENSIONS L x W x H (mm)	NETT WT/KGS.
VXFC 31001	1000	55 - 2270	250 - 1000	1560 x 935 x 1530	84
VXFC 32001	2000	380 - 2400	500 - 2000	2310 x 1300 x 1575	96
VXFC 1000 NM	1000	230 - 1790	700 - 1000	BASE SIZE 1065 x 1775	137.6

VANJAX HYDRAULIC SCISSOR TRUCK



TYPE CODE	MINIMUM HEIGHT (mm)	MAXIMUM HEIGHT (mm)	PLAFORM SIZE (mm)	NETT WT/KGS.
VXLT - 500/880	285	880	815 x 500 x 50	81
VXLT - 750/900	420	900	1000 x 510 x 55	120

All dimensions are in metric system - mm, kgs, tonne.



VANJAX PORTABLE SCISSOR AUTO LIFT



TYPE CODE	CAPACITY (KGS)	MINIMUM HEIGHT (mm)	MAXIMUM HEIGHT (mm)	OVERALL L x H (mm)	SHIFTING WT/KGS.
VXPXAL 2727	2727	180	1000	1060 x 1040 (approx.)	57

VANJAX HYD. 2 POST LIFT



TYPE CODE	CAPACITY (KGS)	MINIMUM HEIGHT (mm)	MAXIMUM RAISED (mm)	LIFTING TIME
VXTPAL 3500	3500	110	1950	50 sec.
VXTPAL 4000	4000	110	1950	50 sec.

VANJAX HYDRAULIC 4 POST LIFT



TYPE CODE	CAPACITY (KGS)	MINIMUM HEIGHT (mm)	MAXIMUM RAISED (mm)	OVERALL WIDTH (mm)
VXFPAL 4000	4000	170	1900	3440
VXFPAL 5500	5500	200	1900	3455

VANJAX HYD. WORKSHOP PRESS



TYPE CODE	CAPACITY (TON)	OVERALL HEIGHT (mm)	OVERALL WORKING AREA WIDTH	HYD. STROKE (mm)	NETT WT/KGS.
VXWP 51201	12	1230	500 mm	150	43
VXWP 52001	20	1603	748 mm	150	129
VXWP 55001	50	1800	885 mm	235	235

VANJAX HYDRAULIC JACKING BEAM



TYPE CODE	CAP. (KGS)	LENGTH OF THE BASE FRAME (mm)	CLOSED HEIGHT (mm)	HYD. LIFT (mm)	OVERALL LENGTH OF THE TOP BOOM (mm)
VXHJB 1500	1500	785	230	210	1275
OVERALL LENGTH OF THE BASE FRAME WITH FIXED BRACKET FULLY ELEVATED }					1200 mm.

VANJAX HYD. TRANSMISSION JACK



TYPE CODE	CAP. (KGS)	MIN. HEIGHT (mm)	MAX. HEIGHT (mm)	HYD. STROKE (mm)	NETT WT/KGS.
VXHTJ 600	600	1175	1985	670	51
VXHTJ-1000 (Trolley Jack Model)	1000	210	775	565	68
VXHTJ-1500 (Trolley Jack Model)	1500	230	890	660	90




D-U-N-S. No.:
91-538-3033

HYDRAULIC POWER IN ACTION
YOU NEED IT, VANJAX MAKES IT.



Estd. 1981


VANJAX PORTABLE HYDRAULIC EQPT.



TYPE CODE	CAPACITY (TON)	HYDRAULIC STROKE (mm)	MINIMUM HEIGHT (mm)	NETT WT/KGS
VXPHE 70401	4	120	330	17
VXPHE 71001	10	150	470	31

INCLUDES : Hand Pump, Hose Ram & Cylinders, Spreador Ram, Rubber Head, Rubber Faced Flat & Based Ram Toe, Wedge Head, 900 V Base, Serrated Saddle, Male Thread Adopter, Assorted Extn. Tubes

VANJAX HYD. MULTIPURPOSE TOOL KIT



TYPE CODE	SPECIFICATION
VXHMPKT -212101	CONSISTS OF 2 PCS 2t. 2PCS 4t. 1 PC 5t. AND 2 PCS 10t. HYDRAULIC RAMS WITH 2 PCS FORGED STEEL SHACKLES - IDEAL FOR LIFTING / SHIFTING / POSITIONING MACHINES, HEAVY LOADS AND FOR PUSH / PULL OPERATIONS.

VANJAX HYD. SPRING DISMANTLER



TYPE CODE	RATED LOAD (kgs)	HYDRAULIC COMPRESSION (mm)	MAXIMUM WORKING HEIGHT (mm)	GROSS WT/KGS
VXSAD 750	750	100	250	24

VANJAX AXLE STAND



TYPE CODE	CAPACITY (TON)	MINIMUM HEIGHT (mm)	MAXIMUM HEIGHT (mm)	NETT WT/KGS.
VXXLS 42002	2	275	420	2.5
VXXLS 43002	3	295	425	3.5

VANJAX ENGINE STAND



TYPE CODE	CAPACITY (KGS)	HEIGHT (mm)	NETT WT/KGS.	GROSS WT/KGS.
VXES 1000	450	940	23	25
VXES 1250	570	960	26	28

VANJAX ROLLER SEAT



TYPE CODE	OVERALL LENGTH (mm)	OVERALL WIDTH (mm)	OVERALL HEIGHT (mm)	NETT WT/KGS.
VXARS 6202	630	388	378	4

VANJAX STEEL CREEPER



TYPE CODE	OVERALL LENGTH (mm)	OVERALL WIDTH (mm)	OVERALL HEIGHT (mm)	NETT WT/KGS.
VXSC 6451	950	440	110	6